HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: BE-9

Revision Date: 16-Apr-2014

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: BE-9
Synonyms: None
Chemical Family: Solution
Application: Biocide

Manufacturer/Supplier Halliburton Energy Services, Inc.

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	ACGIH TLV-TWA	OSHA PEL-TWA
Tributyl tetradecyl phosphonium	81741-28-8	5 - 10%	Not applicable	Not applicable
chloride				

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye and skin burns. May cause respiratory irritation. May be harmful if

swallowed. May be harmful if inhaled

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin Wash with soap and water. Get medical attention if irritation persists. Remove

contaminated clothing and launder before reuse. Remove contaminated shoes

and discard.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing.

Ingestion If swallowed, do NOT induce vomiting. Give victim two glasses of water, Call a

physician immediately. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

5. FIRE FIGHTING MEASURES

Flash Point/Range (F):

Flash Point/Range (C):

Flash Point Method:

Autoignition Temperature (F):

Autoignition Temperature (C):

Flammability Limits in Air - Lower (%):

Flammability Limits in Air - Upper (%):

Not Determined

Not Determined

Not Determined

Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

Special Exposure Hazards Decomposition in fire may produce toxic gases. Do not allow runoff to enter

waterways. Use water spray to cool fire exposed surfaces.

Special Protective Equipment

for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required

for fire fighting personnel.

NFPA Ratings: Health 3, Flammability 0, Reactivity 0

HMIS Ratings: Health 3, Flammability 0, Physical Hazard 0, PPE: F

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary

Measures

Use appropriate protective equipment.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate spill and stop leak where safe. Contain spill with sand or other inert

materials. Scoop up and remove.

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder

contaminated clothing before reuse. Do NOT consume food, drink, or tobacco in

contaminated areas.

Storage Information Store in a cool well ventilated area. Keep container closed when not in use. Store

away from direct sunlight. Store in a dry location. Store in a manner to prevent commingling with incompatible materials. Store away from alkalis. Store away

from reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

Respiratory Protection If engineering controls and work practices cannot keep exposure below

occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or

other qualified professional.

Dust/mist respirator. (N95, P2/P3)

BE-9 Page 2 of 6 **Hand Protection** Impervious rubber gloves. Neoprene gloves. Polyvinylchloride gloves.

Skin Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron, rain

jacket, pants or coverall, as appropriate, to prevent skin contact.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Clear colorless

 Odor:
 Slight

 pH:
 6-8

 Specific Gravity @ 20 C (Water=1):
 0.95-1.00

 Density @ 20 C (Ibs./gallon):
 8.12

Bulk Density @ 20 C (lbs/ft3): Not Determined

Boiling Point/Range (F): 212 Boiling Point/Range (C): 100

Freezing Point/Range (F):

Freezing Point/Range (C):

Vapor Pressure @ 20 C (mmHg):

Vapor Density (Air=1):

Percent Volatiles:

Evaporation Rate (Butyl Acetate=1):

Not Determined

Not Determined

Not Determined

Not Determined

Solubility in Water (g/100ml): Miscible

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Not Determined

Not Determined

Viscosity, Kinematic @ 20 C (centistokes): 55-65
Partition Coefficient/n-Octanol/Water: < 3

Molecular Weight (g/mole): Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Reducing agents. Strong alkalis.

Hazardous Decomposition

Products

Chlorine. Phosphorus acids. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Sympotoms related to exposure Acute Toxicity

Inhalation May cause respiratory irritation. May be harmful if inhaled.

Eye Contact May cause eye burns.

Skin Contact May cause skin burns. Harmful if absorbed through the skin.

Ingestion May be harmful if swallowed.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are chronic

health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tributyl tetradecyl	81741-28-8	< 2000 mg/kg (Rat)	No data available	0.9 mg/L (Rat)
phosphonium chloride				

12. ECOLOGICAL INFORMATION

Ecotoxicological Information

Ecotoxicity Product

Acute Fish Toxicity: LC50: (96 hour) 0.46 mg/L (Oncorhynchus mykiss)

LC50: (96 hour) 0.06 mg/l (Lepomis macrochirus)

LC50: (96 hour) 0.58 mg/l (fish)

Acute Crustaceans Toxicity: TLM96: 1.6 mg/l (Crangon crangon) TLM48: 0.025 mg/l (Daphnia magna)

Acute Algae Toxicity: Not determined

Ecotoxicity Substance

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to Invertebrates
				Microorganisms	
Tributyl tetradecyl	81741-28-8	No information available	LC50(96h): 0.46 mg/L	No information available	EC50(48h): 0.025 mg/L
phosphonium chloride			(Onchorhynchus mykiss)		(Daphnia magna)
principality contacts			LC50(96h): 0.06 mg/L		TLM96: 1.6 mg/L
			(Lepomis macrochirus)		(Crangon crangon)

12.2 Persistence and degradability

No information available

12.3 Bioaccumulative potential

No information available

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Incineration recommended in approved incinerator according to federal, state, and

local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

US DOT

UN Number: UN2922

UN Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S. (contains Tributyl Tetradecyl Phosphonium

Chloride)

Transport Hazard Class(es): 8
Subsidiary Hazard: (6.1)
Packing Group:

NAERG: NAERG 154

US DOT Bulk

DOT (Bulk) Not Applicable

Canadian TDG ul0

UN Number: UN2922

UN Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S. (contains Tributyl Tetradecyl Phosphonium

Chloride)

Transport Hazard Class(es): 8
Subsidiary Hazard: (6.1)
Packing Group:

IMDG/IMO

UN Number: UN2922

UN Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S. (contains Tributyl Tetradecyl Phosphonium

Chloride)

Transport Hazard Class(es): 8
Subsidiary Hazard: (6.1)
Packing Group:

EMS: EmS F-A, S-B

IATA/ICAO

UN Number: UN2922

UN Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S. (contains Tributyl Tetradecyl Phosphonium

Chloride)

Transport Hazard Class(es): 8
Subsidiary Hazard: (6.1)
Packing Group:

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Special Precautions for User None

<u>Labels:</u> Corrosive

Toxic

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely

Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

EPA SARA (313) Chemicals This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund

Not applicable.

Reportable Spill Quantity

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste

as defined by the US EPA.

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law Does not apply.

NJ Right-to-Know Law Does not apply.

PA Right-to-Know Law Does not apply.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class D1A Very Toxic Materials

E Corrosive Material

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS

Section 15. Regulatory Information

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement This information is furnished without warranty, expressed or implied, as to

accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the

sole responsibility of the user.

END OF MSDS